



(12) **United States Patent**
Dinov et al.

(10) **Patent No.:** **US 10,776,516 B2**
(45) **Date of Patent:** **Sep. 15, 2020**

(54) **ELECTRONIC MEDICAL RECORD
DATASIFTER**

(71) Applicant: **The Regents of The University of
Michigan**, Ann Arbor, MI (US)

(72) Inventors: **Ivaylo Dinov**, Ann Arbor, MI (US);
John Vandervest, Ann Arbor, MI (US);
Simeone Marino, Ann Arbor, MI (US)

(73) Assignee: **THE REGENTS OF THE
UNIVERSITY OF MICHIGAN**, Ann
Arbor, MI (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 227 days.

(21) Appl. No.: **16/051,881**

(22) Filed: **Aug. 1, 2018**

(65) **Prior Publication Data**
US 2019/0042791 A1 Feb. 7, 2019

Related U.S. Application Data
(60) Provisional application No. 62/540,184, filed on Aug.
2, 2017.

(51) **Int. Cl.**
G06F 16/00 (2019.01)
G06F 21/62 (2013.01)
G16H 10/60 (2018.01)
G06N 7/08 (2006.01)
G06F 17/18 (2006.01)
G06F 17/11 (2006.01)
G16H 50/70 (2018.01)

(Continued)

(52) **U.S. Cl.**
CPC **G06F 21/6254** (2013.01); **G06F 16/2272**
(2019.01); **G06F 17/11** (2013.01);
(Continued)

(58) **Field of Classification Search**
None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,653,615 B2 1/2010 Dwork et al.
7,698,250 B2 4/2010 Dwork et al.

(Continued)

OTHER PUBLICATIONS

X. Yao et al "Differential Privacy of Big Data: An Overview" Big
Data Security on Cloud (BigDataSecurity), IEEE International
Conference on High Performance and Smart Computing (HPSC)
and IEEE International Conference on Intelligent Data and Security
(2016).

(Continued)

Primary Examiner — Bai D Vu

(74) *Attorney, Agent, or Firm* — Harness, Dickey &
Pierce, P.L.C.

(57) **ABSTRACT**

A method is presented for generating a data set from a
database. The method involves iterative data manipulation
that stochastically identifies candidate entries from the cases
(subjects, participants) and variables (data elements) and
subsequently selects, nullifies, and imputes the information.
This process heavily relies on statistical multivariate impu-
tation to preserve the joint distributions of the complex
structured data archive. At each step, the algorithm generates
a complete dataset that in aggregate closely resembles the
intrinsic characteristics of the original data set, however, on
an individual level the rows of data are substantially altered.
This procedure drastically reduces the risk for subject
reidentification by stratification, as meta-data for all subjects
is repeatedly and lossily encoded.

19 Claims, 3 Drawing Sheets

